

an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request to provide said advertising content; and an advertisement server node storing information about said user node, said advertisement server node being responsive to a request from said user node based on said link message to select [an] said advertiser node as a selected advertiser node based upon the information stored about said user node at said advertisement server node, and identify said advertiser node as said selected advertiser node to said user node,

whereby said advertising content from said selected advertiser node is displayed at said user node.

@1
could
2. (Amended) A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on [the] a number of times said advertising content has been previously displayed at said user node.

3. (Amended) A network in accordance with claim 1, wherein said advertisement server node selects said advertiser node based on [the] characteristics of [said] a user.

Sub
B2
A2
Cont
7. (Twice Amended) In a network supporting the hypertext transfer protocol and having a user node including a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a plurality of advertiser nodes, each of said plurality of advertiser nodes having a respective advertiser web site including respective advertising content, each of said advertiser nodes responsive to a respective request to provide respective advertising content, a network node comprising:

an advertisement server node storing information about said user node and responsive to a request from said user node based on said link message to select [an] one of said plurality of advertiser [node] nodes as a selected advertiser node based upon the information stored about said user node at said advertisement server node, and identify said advertiser node as said selected

advertiser node to said user node, whereby said advertising content from said selected advertiser node is displayed at said user node.

8. (Amended) [An advertisement server] A network node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on [the] a number of times said advertising content has been previously displayed at said user node.

9. (Amended) [An advertisement server] A network node in accordance with claim 7, wherein said advertisement server node selects said advertiser node based on [the] characteristics of [said] a user.

Q2
Concl
10. (Amended) [An advertisement server] A network node in accordance with claim 9, wherein said advertisement server node selects said advertiser node based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Inter-net service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.

Sub
B3
Q3
Cont
13. (Twice Amended) In a network supporting the hypertext transfer protocol and having a user node including a browser program coupled to said network, said user node providing requests for information on said network, an advertiser node having an advertiser web site including advertising content, said advertiser node responsive to a request to provide said advertising content, and an advertisement server node storing information about said user node and responsive to a request from said user node to select [an] said advertiser node as a selected advertiser node based upon the information stored about said user node at said advertisement server node, and identify said advertiser node as said selected advertiser node to said user node, wherein said advertising content from said selected advertiser node is displayed at said user node, a network node comprising:
a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content and advertising space for display of

A3
Cwell

advertising content, said content provider affiliate web site further providing a link message to said user node identifying the IP address of said advertisement server node to said user node for providing advertising content for said advertising space, wherein the advertising content is selected by said advertisement server node based upon the information stored about said user node at said advertisement server node.

Sub B4

16. (Amended) A network supporting the hypertext transfer protocol, comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node; and

an advertisement server node storing information about said user node and responsive to a request from said user node based on said link message to select an advertising banner for said advertising space based upon the information stored about said user node, and to reply to said request from said user node by identifying said advertising banner to said user node, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space.

A4
Cont

17. (Amended) [An advertisement server node] A network in accordance with claim 16, wherein said advertisement server node selects said advertiser node based on [the] a number of times said advertising content has been previously displayed at said user node.

18. (Amended) [An advertisement server node] A network in accordance with claim 16, wherein said advertisement server node selects said advertiser node based on [the] characteristics of [said] a user.

19. (Amended) [An advertisement server node] A network in accordance with claim 18, wherein

a4
cont

said advertisement server node selects said advertiser node based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.

Sub
B5

20. (Amended) A network in accordance with claim 16, [further including:]

a5

wherein said advertisement server node is responsive to a request from said user node to identify an advertiser web site corresponding to said advertising banner; and further including an advertiser node having an advertiser web site including advertising content corresponding to said advertising banner, said advertiser node responsive to a request to provide said advertising content corresponding to the selection of said advertising banner by [said] a user, whereby said advertising content from said advertiser node is displayed at said user node.

Sub
B6

23. (Amended) In a network supporting the hypertext transfer protocol and comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a network node comprising:

a6
cont

an advertisement server node storing information about said user node and responsive to a request from said user node based on said link message to select an advertising banner for said advertising space based upon the information stored about said user node at said advertisement server node, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertising banner from said advertisement server node is displayed at said user node in said advertising space.

24. (Amended) [An advertisement server] A network node in accordance with claim 23, wherein said advertisement server node selects said advertising banner based on [the] a number of times said advertising content has been previously displayed at said user node.

25. (Amended) [An advertisement server] A network node in accordance with claim 23, wherein said advertisement server node selects said advertising banner based on [the] characteristics of [said] a user.

a6
concl
26. (Amended) [An advertisement server] A network node in accordance with claim 25, wherein said advertisement server node selects said advertising banner based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.

29. (Twice Amended) In a network supporting the hypertext transfer protocol and comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, an advertisement server node storing information about said user node and responsive to a request from said user node to select an advertising banner for said advertising space based upon the information stored about said user node, and to reply to said request from said user node by identifying said advertising banner to said user node, a network node comprising:

a7
cont
a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content and advertising space for display of advertising content, said content provider affiliate web site further providing a link message to said user node identifying [the] an IP address of said advertisement server node to said user node for providing an advertising banner for said advertising space, wherein the advertising banner is selected based upon the information stored about said user node at said advertisement server

Concl
node.

Sub B7
32. (Twice Amended) In a network supporting the hypertext transfer protocol and comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, and an advertiser node having an advertiser web site including advertising content corresponding to [said] an advertising banner, said advertiser node responsive to a request to provide said advertising content corresponding to the selection of said advertising banner by [said] a user, a network node comprising:

a8 Cont
an advertisement server node storing information about said user node and responsive to a request from said user node based on said link message to select an advertising banner for said advertising space based upon the information stored about said user node, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertisement server node is responsive to a request from said user node to identify an advertiser web site corresponding to said advertising banner, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space, and whereby said advertising content from said selected advertiser node is displayed at said user node.

33. (Amended) [An advertisement server] A network node in accordance with claim 32, wherein said advertisement server node selects said advertising banner based on [the] a number of times said advertising content has been previously displayed at said user node.

34. (Amended) [An advertisement server] A network node in accordance with claim 32, wherein said advertisement server node selects said advertising banner based on [the] characteristics of [said] a user.

35. (Amended) [An advertisement server] A network node in accordance with claim 34, wherein said advertisement server node selects said advertising banner based on at least one of the characteristics of said user selected from the group consisting of user ID, IP address, user cookie, user login code, user digital certificate, geographic location, time zone, country, domain type, Internet service provider, organization type, employer, industry type, company size, number of employees, types of advertisements previously viewed and types of advertisements previously clicked.

36. (Amended) A network method in accordance with claim [35] 42, wherein said advertisement server node selects said advertising banner based on [the] characteristics of [said] a user.

38. (Amended) A network method in accordance with claim [35] 42, wherein said advertisement server node selects said advertising banner based on [the] a number of times said advertising content has been previously displayed at said user node.

39. (Amended) A method in accordance with claim 37, said method further comprising:
sending a request from said user node to said advertising server web site responsive to selection of said advertising banner at said user node;
sending a reply from said advertising server web site to said user node identifying said advertiser web site corresponding to said advertising banner;
sending a request from said user node to said advertising web site to provide said advertising content corresponding to said selected advertising banner [by said user];
sending a reply from said advertiser web site to said user node; and
displaying said advertising content at said user node.

42. (Amended) In a network supporting the hypertext transfer protocol and including a user node having a browser program coupled to said network, a content provider affiliate node having a

respective affiliate web site containing media content, advertising space for display of advertising content and an advertisement server node having an advertising server web site and storing information about said user node, a method for delivery of advertising to said user node, said method comprising:

sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site responsive to said request for information from said user node, said reply containing media content, advertising space for display of advertising content and a link message to said user node;

A10
Concl sending a request from said user node based on said link message to said advertising server web site to provide an advertising banner for said advertising space;

selecting, at said advertising server web site, an advertising banner based upon the information stored about said user node;

sending a reply from said advertising server web site identifying said advertising banner to said user node; and

displaying said advertising banner in said advertising space at said user node.

45. (Amended) In a network supporting the hypertext transfer protocol and including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content and advertising space for display of advertising content, an advertisement server node storing information about said user node, and an advertiser node having an advertiser web site including advertising content, a method for delivery of advertising content to said user node said method comprising:

All
Cont sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site, responsive to said request for information from said user node, containing media content, advertising space for display of advertising content and a link message to said user node;

sending a request based on said link message from said user node to said advertisement server node to select an advertiser node;

selecting, at said advertisement server node, an advertiser node based upon the information stored about said user node;

sending a reply from said advertisement server node to said user node identifying said selected advertiser node;

sending a request from said user node to said advertiser node to provide said advertising content to said user;

sending a reply from said advertiser web site to said user node containing said advertising content; and

displaying said advertising content at said user node.

46. (Amended) A network method in accordance with claim 45, wherein said advertisement server node selects said advertiser node based on [the] a number of times said advertising content has been previously displayed at said user node.

47. (Amended) A network method in accordance with claim 45, wherein said advertisement server node selects said advertiser node based on [the] characteristics of [said] a user.

Please add the following new claims:

51. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node;

an advertiser node having an advertiser web site including advertising content, said advertiser

node responsive to a request to provide said advertising content; and an advertisement server node responsive to a request from said user node based on said link message to select said advertiser node as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node.

whereby said advertising content from said selected advertiser node is displayed at said user node, wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

52. In a network having a user node including a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a plurality of advertiser nodes, each of said plurality of advertiser nodes having a respective advertiser web site including respective advertising content, each of said advertiser nodes responsive to a respective request to provide respective advertising content, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select one of said plurality of advertiser nodes as a selected advertiser node, and identify said advertiser node as said selected advertiser node to said user node, whereby said advertising content from said selected advertiser node is displayed at said user node,

wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

53. A network comprising:

a user node having a browser program coupled to said network, said user node providing requests for information on said network;

a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node; and

a12
Cont

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node,
whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space.
wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

54. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, a network node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertising banner from said advertisement server node is displayed at said user node in said advertising space,

wherein said advertisement server node selects said advertising banner based on a number of times said advertising content has been previously displayed at said user node.

55. In a network comprising a user node having a browser program coupled to said network, said user node providing requests for information on said network, a content provider affiliate node having a respective affiliate web site responsive to requests for information from said user node to provide media content, advertising space for display of advertising content and a link message to said user node, and an advertiser node having an advertiser web site including advertising content corresponding to an advertising banner, said advertiser node responsive to a request to provide said advertising content corresponding to the selection of said advertising banner by a user, a network

A12
Cont

node comprising:

an advertisement server node responsive to a request from said user node based on said link message to select an advertising banner for said advertising space, and to reply to said request from said user node by identifying said advertising banner to said user node, wherein said advertisement server node is responsive to a request from said user node to identify an advertiser web site corresponding to said advertising banner, whereby said advertising banner from said advertisement server node is displayed at said user node in said advertising space, and whereby said advertising content from said selected advertiser node is displayed at said user node, wherein said advertisement server node selects said advertising banner based on a number of times said advertising content has been previously displayed at said user node.

Q12 Cont
56. In a network including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content, advertising space for display of advertising content and an advertisement server node having an advertising server web site, a method for delivery of advertising to said user node, said method comprising:

sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site responsive to said request for information from said user node, said reply containing media content, advertising space for display of advertising content and a link message to said user node;

sending a request from said user node based on said link message to said advertising server web site to provide an advertising banner for said advertising space;

selecting, at said advertising server web site, an advertising banner;

sending a reply from said advertising server web site identifying said advertising banner to said user node; and

displaying said advertising banner in said advertising space at said user node,

wherein said advertisement server node selects said advertising banner based on a number of times

said advertising content has been previously displayed at said user node.

57. In a network including a user node having a browser program coupled to said network, a content provider affiliate node having a respective affiliate web site containing media content and advertising space for display of advertising content, an advertisement server node, and an advertiser node having an advertiser web site including advertising content, a method for delivery of advertising content to said user node said method comprising:

sending a request for information from said user node to said affiliate web site requesting information;

sending a reply from said affiliate web site, responsive to said request for information from said user node, containing media content, advertising space for display of advertising content and a link message to said user node;

sending a request based on said link message from said user node to said advertisement server node to select an advertiser node;

selecting, at said advertisement server node, an advertiser node;

sending a reply from said advertisement server node to said user node identifying said selected advertiser node;

sending a request from said user node to said advertiser node to provide said advertising content to said user;

sending a reply from said advertiser web site to said user node containing said advertising content;
and

displaying said advertising content at said user node.

wherein said advertisement server node selects said advertiser node based on a number of times said advertising content has been previously displayed at said user node.

A12
could